ENVIRONMENT AND AUTOIMMUNITY



Behavioral abnormalities in female mice following administration of aluminum adjuvants and the human papillomavirus (HPV) vaccine Gardasil

Rotem Inbar^{1,2} · Ronen Weiss^{3,4} · Lucija Tomljenovic^{1,5} · Maria-Teresa Arango^{1,6} · Yael Deri¹ · Christopher A. Shaw⁵ · Joab Chapman^{1,7} · Miri Blank¹ · Yehuda Shoenfeld^{1,8}

Yehuda Shoenfeld

© Springer Science+Business Media New York 2016

Abstract Vaccine adjuvants and vaccines may induce autoimmune and inflammatory manifestations in susceptible individuals. To date most human vaccine trials utilize aluminum (AI) adjuvants as placebos despite much evidence showing that AI in vaccine-relevant exposures can be toxic to humans and animals. We sought to evaluate the effects of AI adjuvant and the HPV vaccine Gardasil versus the true placebo on behavioral and inflammatory parameters in female mice. Six-week-old C57BL/6 female mice were injected with either, Gardasil, Gardasil + pertussis toxin (Pt), AI hydroxide, or, vehicle control in amounts equivalent to human exposure. At 7.5 months of age, Gardasil and AI-injected mice spent significantly more time floating in the forced swimming test (FST) in comparison with vehicle-injected mice (AI, p = 0.009; Gardasil, p = 0.025; Gardasil + Pt, p = 0.005). The increase in floating time was already highly significant at 4.5 months of age for the Gardasil and Gardasil + Pt group ($p \le 0.0001$). No significant differences were observed in the number of stairs climbed in the staircase test which measures locomotor activity. These results indicate that differences observed in the FST were unlikely due to locomotor dysfunction, but rather due to depression. Moreover, anti-HPV antibodies from the sera of Gardasil and Gardasil + Pt-injected mice showed cross-reactivity with the mouse brain protein extract. Immunohistochemistry analysis revealed microglial activation in the CA1 area of the hippocampus of Gardasil-injected mice. It appears that Gardasil via its Al adjuvant and HPV antigens has the ability to trigger neuroinflammation and autoimmune reactions, further leading to behavioral changes.

Keywords Gardasil · Aluminum · ASIA syndrome · Autoantibodies · Autoimmunity · Neuroinflammation

Abbreviations

Al Aluminum
ASIA Autoimmune/autoinflammatory syndrome

induced by adjuvants

β2-GPI β2-Glycoprotein I
 FST Forced swimming test
 HPV Human papilloma virus
 Pt Pertussis toxin

U. S FDA United States Food and Drug Administration

⊠ Yehuda Shoenfeld shoenfel@post.tau.ac.il

Published online: 16 July 2016

- ¹ Zabludowicz Center for Autoimmune Diseases, Sheba Medical Center, Tel Hashomer, Sackler Faculty of Medicine, Tel-Aviv University, 52621 Israel, Israel
- Department of Obstetrics and Gynecology, Sheba Medical Center, 52621 Tel Hashomer, Israel
- ³ Sagol School of Neuroscience, Tel Aviv University, 69978 Ramat Aviv, Israel
- Department of Physiology and Pharmacology, Sackler Faculty of Medicine, Tel Aviv University, 69978 Ramat Aviv, Israel

- Neural Dynamics Research Group, Department of Ophthalmology and Visual Sciences, University of British Columbia, 828 W. 10th Ave, Vancouver, BC V5Z 1L8, Canada
- Doctoral Program in Biomedical Sciences, Universidad del Rosario, Bogota 111221, Colombia
- Department of Neurology and Sagol Neuroscience Center, The Sheba Medical Center, 52621 Tel Hashomer, Israel
- Incumbent of the Laura Schwarz-Kip Chair for Research of Autoimmune Diseases, Sackler Faculty of Medicine, Tel-Aviv University, 69978 Ramat Aviv, Israel

